

A Level

Physics

Session: 1974

Type: Syllabus

Code: 861

PHYSICS (861)

(May not be taken with Physical Science.)

The syllabus must be taken to include the syllabus for Ordinary Level Physics. No knowledge beyond that required for Ordinary Level will be expected about topics which are not specifically mentioned in the Advanced Level Syllabus.

The syllabus is not intended to suggest a teaching order. There is no extended syllabus for candidates taking the Special Paper in Physics, but the questions set in the Special Paper may be expected to provide a more searching test for these candidates.

SI nomenclature and units will be used in all question papers. (See Circular S32A, June 1969.)

Familiarity with the use of a slide rule is expected.

ARRANGEMENT OF PAPERS

At Advanced Level there will be two $2\frac{1}{2}$ -hour theory papers (Paper 1 and Paper 2) and a 3-hour Practical Test. The Practical Test will carry one-quarter of the total marks for the subject.

Papers 1 and 2 will each contain ten questions. Each paper will be divided into three sections and candidates will be required to answer five questions, including one from each section, in each paper. The sections will not necessarily be defined by the traditional divisions of the subject, e.g. Heat, Light, but questions on any topic may appear in any section. In both papers questions will be set on Part 3 of the syllabus.

In the Practical Test, three questions will be set, one of which will be a compulsory question. Candidates will be required to answer two questions (see p. 25).

The Special Paper will be a 2½-hour paper containing ten questions of which candidates will be required to answer any five.

DETAILED SYLLABUS

PART 1

SYLLABUS

General introductory items

- 1. Aids to measurement.
- 2 Dimensions of physical quantities.
- 3. Motion in a straight line.

Motion of projectiles.

Mechanics and properties of matter

- 4. Composition and resolution of vectors.
- 5. Moments, couples.
- 6. Newton's laws of motion. Gravity (see also item 11).
- 7. Conservation of linear momentum.
- 8. Static and kinetic friction.
- 9. Work, W. Kinetic energy, T and potential energy, V. Power, P.
- Uniform motion in a circle.
 Centripetal acceleration and centripetal force.
- 11. Planetary motion. Newton's law of gravitation.
- 12. Simple harmonic motion.
- Fluid pressure. Upthrust, Archimedes' principal.
- 14. Motion in fluids.

NOTES

Micrometer, vernier, etc.

For checking equations, not for derivation of formulae.

Equations of uniformly accelerated motion in a straight line. Graphical methods. Simple determination of g by free fall method. Non-uniform acceleration, including use of graphical methods.

Simple cases.

Particular application to velocities, forces, and momentum.

Mass and weight. Centre of gravity.

Collisions, with special reference to the use of the laws of conservation of momentum and energy. Questions will not be set on oblique collisions or on the use of the coefficient of restitution.

General ideas of laws of friction. Simple determination of a coefficient.

Potential energy of interacting bodies. Work represented by area under a force-distance graph. Translational and rotational kinetic energy.

Practical examples.

Kepler's laws. Relation between C and g. Principle of a laboratory determination of G. Gravitational potential energy.

Experimental and mathematical treatment. Examples such as simple pendulum and light helical spring. Determination of g. Questions will not be set on the compound pendulum.

Pressure at a point in a fluid.

Applications: flotation, determination of density and relative density. Natural convection.

Qualitative treatment of viscous drag, terminal velocity, streamline flow, turbulence. Bernouilli effect, illustrated experimentally.

NOTES

16. Surface tension (free surface energy).

Optics (Either wave or ray treatment is acceptable, where applicable, in this section.) 17. Reflection and refraction at a boundary.

18. Refraction through a prism.

Minimum deviation.

Spectrometer.

15. Elasticity.

19. Spherical mirrors thin lenses. Relations between u, v, f and rfor mirrors; u, v and f for thin lenses, and f as a function of refractive index and radii of curvature for thin lenses. Focal length of thin lenses in contact. Spherical aberration and chromatic aberration.

Paraboloidal mirror.

20. Microscope and telescope (refracting and reflecting).

> Essential features of camera and projection lantern.

Oscillations and waves and related phenomena

21. Free, damped, and forced oscillations. Resonance.

Harmonics.

22. Waves - properties of waves. Types of wave - transverse, longitudinal: progressive. stationary. Reflection and refraction of waves.

Hooke's law. Young's modulus, E, and its determination. Elastic limit. Limit of propor. tionality. Yield point and breaking point Work done in extension and compression,

Simple phenomena, including angle of contact. Capillary rise. Pressure difference across a spherical surface.

Reflection and refraction at plane surfaces Refractive index, critical angle, total internal reflection.

Formula for deviation through a thin prism for small angles of incidence, including derivation of the formula.

Formula connecting minimum deviation and refractive index, including derivation of the formula.

Emission spectra, line and continuous Absorption spectra.

Simple experiments with mirrors and lenses

Derivation and use of these relations. Ouestions on refraction at single spherical surfaces will not be set. No questions will be set involving any particular sign convention.

Simple qualitative consideration, including experimental demonstration. (Spherical aberration only in relation to a point source on the axis of a large aperture lens or mirror.)

Magnification and magnifying power. Methods of obtaining erect images, including prism binoculars. Questions will not be set involving achromatic or other compound eyepieces and objectives.

To be treated qualitatively by means of demonstrations and graphs and by using mechanical and electrical illustrations.

Influence on quality of sound.

In relation to electromagnetic, sound, and water waves. Relation between velocity, v, frequency, f, and wavelength, \(\lambda\). Experimental determination of velocity of sound in free air and in a tube. Determination of frequency of sound waves.

SYLLABUS

Superposition of waves. Interference and beats. Doppler effect.

23. Wave aspect of electromagnetic radiation. Wave theory as applied to reflection and refraction at a plane surface. Velocity of light, c. by a terrestrial method. Double slit type of interference. Simple treatment of plane transmission grating. Other simple interference phenomena.

24. Diffraction.

-25. Polarization. Production and detection of plane-polarized light. Polarization of radio waves.

NOTES

In sound and electromagnetic waves.

Qualitative and quantitative. Its use for measuring wavelengths.

Including a qualitative treatment of interference in thin films.

The phenomenon of diffraction treated qualitatively.

Details of Nicol prism will not be asked.

Reference to dipole aerial as emitter and receiver.

Heat

26. Temperature. Scales of temperature. Types of thermometer.

27. The joule as a unit of both work and heat Specific heat capacity, change of state, specific latent heat.

Definition in terms of a physical property. Liquid in glass, constant volume (simple type), resistance, thermoelectric. Pyrometers.

Electrical methods including constant flow method; method of mixtures. Accurate determination of the specific heat capacity of water.

The molecular theory of matter

28. Evidence for the belief in the existence of molecules. Qualitative treatment of various phenomena in terms of the kinetic theory. Determination of saturated vapour pressure.

29. Boyle's law. Absolute temperature. Gas equation $\frac{PV}{T}$ = constant. Dalton's law of partial pressures.

30. Kinetic theory of ideal gases. Real gases

Brownian motion. (No calculations will be

E.g. surface tension, evaporation, latent heat, saturated and unsaturated vapours.

Experimental verification.

Derivation of $p = \frac{1}{2}o\overline{c^3}$.

Inadequacy of simple assumptions of kinetic theory (qualitative only). Critical temperature.

G.C.E. (ADVANCED)

SYLLABUS

the gas constant, Isothermal and

adiabatic changes. The relation

Coefficient of thermal conductivity

Effect of nature of surface on

energy radiated and absorbed by

it. Black-body radiation. Stefan's

Distribution of energy in the

spectrum of black-body radia-

Ultra-violet (u.v.) and infra-red

The complete electromagnetic

of a gas,

law.

tion.

(i.r.) radiation.

spectrum.

 $pv^{\gamma} = \text{constant}$.

Transference of heat energy

thermal conduction.

and its determination.

32. Quantitative consideration

33. Radiation as a form of energy.

Questions will not be set on experimental 31. Principal specific heat capacities determination. Difference of specific heat capa-Derivation of this relation. cities (C_p-C_p) and its relation to

Proof of the relation will not be required

NOTES

For cases of parallel flow only.

For good and bad solid conductors-principle of one method for each.

Use of either thermopile or bolometer for detection of radiation.

Form of spectral curves.

chemical. (See also item 59).

Properties and methods of detection of these radiations.

Survey of energy 34. Conversion of energy, E. from one form to another.

Conservation of energy, Degradation of other forms of energy into thermal energy.

Gravitational, mechanical (kinetic potential), thermal, electrical, magnetic, radiant,

PART 2

Current, charge, potential difference, power

35. The ampere, A. Conservation of current at a iunction.

Definition of unit charge, Q. The coulomb, C.

E.M.F.: potential difference. The volt. V.

Power.

Electrical energy: kilowatt-hour, kWh.

Inter-conversion of electrical energy with other forms.

Treated as axiomatic.

Quantitative treatment.

PHYSICS

SYLLABUS

NOTES

Circuits

36. General variation of current with p.d. in solids, liquids and gases. Extension of Ohm's law to comhinations of resistors and to a complete circuit. Resistivity, p.

Temperature coefficient of resistance.

37. Potentiometer.

Wheatstone bridge.

Magnetism

- 38. The idea of magnetic field, Magnetic flux density (or magnetic induction) B. Magnetic flux (or flux of magnetic induction) ϕ . Permeability. Relative permeability.
- 39. Experimental determination of magnetic flux & and of magnetic flux density B by any one method.
- 40. The earth's magnetic field.

Superposition of magnetic fields. Compass-needle as indicator of direction of the resultant. Deflection magnetometer as a means of comparing the strengths of two magnetic fields.

Theory of the potentiometer. Application to the measurement of p.d. (including thermoelectric e.m.f.), current and resistance.

Including thermionic devices, ionized gases,

Theory of the circuit and use of the simple Wheatstone bridge circuit for comparison of resistances. Questions will not be asked on modifications of the Wheatstone network for finding battery resistance, galvanometer resistance, or resistance of an electrolyte.

Treatments involving magnetic field intensity (magnetizing force) H will be acceptable but questions specifically requiring this concept will not be set.

Questions will not be set on the experimental determination of permeability.

E.g. by means of an induced e.m.f. or by calibrated ballistic galvanometer (or fluxmeter) and search coil, or by force on a current.

Qualitative treatment, including the ideas of variation (declination) and dip.

E.g. comparison of the strength of a magnetic field with the horizontal component of the earth's field: experimental investigation of the dependence of the field at the centre of a circular coil on the number of turns and the radius. Ouestions will not be set on (i) calculation of magnetic field due to a magnet; (ii) oscillations of a magnet in a magnetic field.

Questions on the mathematical derivations of these formulae will not be set.

Magnetic effects of electric current

41. Formulae for the strength of the magnetic field due to a current in the following situations: (i) at the centre of a circular coil, (ii) at a distance from a long straight wire, (iii) inside a long solenoid.

and non-linear resistors.

G.C.E. (ADVANCED)

SYLLABUS

- Force on a current in a magnetic field.
 Force on moving charge in a magnetic field.
- 43. Torque on coil in magnetic field.

Principle of simple form of current balance.

Moving coil galvanometer; general features of design; application to use as ammeter, voltmeter, ballistic galvanometer.

Electromagnetic induction

44. Laws of Faraday and Lenz.

Principle of a method for direct determination of resistance. Application to calibration of voltmeters. Eddy currents. Self-induction. Mutual induction.

45. Simple a.c. and d.c. generators (constant-field type). Back e.m.f. in d.c. motor. The a.c. transformer.

Alternating currents

- 46. Instruments for measuring alternating current and p.d. R.M.S. and peak values. Relation between these for sinusoidal a.c.
- 47. Effects of resistance, capacitance and inductance on current and power when each is connected (separately) to an a.c. supply.

 Lead and lag.

Electrostatics

48. Elementary electrostatic experiments.

Distribution of the charge outside and inside conductors at constant potential.

Principle of van de Graaff machine.

NOTES

Questions on the mathematical derivation of the formulae involved will not be set.

Mathematical derivation of the formula for a rectangular coil is sufficient for the examination.

In the ballistic galvanometer, only the features of design which render it ballistic need to be studied: mathematical proof of proportionality between charge and throw is not required for the examination.

Including calculation of induced e.m.f., current, and circulation of charge.

E.g. rotation of a disc within a solenoid.

Qualitative treatment only.

Factors affecting its efficiency, viz. ohmic loss, eddy current loss, hysteresis loss.

Moving iron, thermal and rectifier types.

Proof of relation not required for the examination.

Simple qualitative treatment in terms of oscillograms.

Including use of the electroscope as an electrostatic voltmeter.

Experimental treatment required.

PHYSICS

SYLLABUS

49. Law of force between electric charges.

Idea of an electric field. Electric field intensity, E: force per unit charge and its relation to potential gradient.

50. Capacitors and the geometrical factors which affect capacitance, C.

The farad, F.

Relative permittivity (dielectric constant).

Experimental comparison of capacitances.

Capacitors in series and in parallel.

Energy of a charged capacitor.

NOTES

Experimental verification not required.

For examination purposes, candidates will not be expected to know or to derive the formulae for the capacitance of standard types of capacitor in terms of their dimensions.

In numerical questions on capacitors the units used will be the farad, volt, coulomb, joule

Its effect on capacitance.

E.g. by ballistic galvanometer and by calibrated electroscope.

PART 3

Cathode rays and positive rays
51. Production and properties of

cathode rays.

Measurement of e/m.

Measurement of e by Millikan's method or a similar method.

Relation between e and the ionic charge.

The Avogadro constant, L, and its relation to e and the Faraday constant, F.

Production of positive rays, and determination of charge/mass.

Electronic devices

52. Diode and triode.

Cathode ray oscillograph and its use,

53. Transistors.

By any one method. Stokes' law may be assumed.

By any one method, e.g. Dempster, Bainbridge. (See also item 58.) Isotopes.

Thermionic emission and the high vacuum diode.

Characteristics of diode, including description of space-charge limitation and saturation. The diode as a rectifier; practical methods of rectification of a.c. supply. The triode and its use as a single-stage voltage amplifier.

Including use of a linear time-base, but not details of its circuit.

Structure and simple current—p.d. characteristics. Theoretical treatment (i.e. in terms of holes and electrons) is not required.

SYLLABUS

NOTES

Particle aspect of radiation

54. Photoelectric effect, and the evidence it provides for the quantum theory.
E = hv.

The principles, but not the details, of the determination of Planck's constant are required

X-rays

55. Production and properties. The diffraction of X-rays. Maximum frequency for a given tube potential. In hot-cathode tubes. Bragg's law. $hv_{\text{(max.)}} = eV$.

The atom

 Idea of the small nucleus, from α-particle scattering.
 Simple explanation of the occurrence of line spectra.

Qualitative ideas of stable electron energy levels and emission or absorption of light quanta with transition of electrons between levels.

Radioactivity

 α- and β-particles and γ-rays: their properties and detection. Simple absorption and intensity measurements.
 Operation of cloud chamber and G-M tube.
 Safety precautions.

By ionization, scintillation and photographic methods. Details of detectors are not required

Treated simply.

General discussion of radiation damage and knowledge of the circumstances in which types of radiation are particularly harmful.

The nucleus

58. The proton and neutron. Atomic number and mass number. Radioactive decay.

Half-life.

Production of artificial radioactive isotopes.

The uses of radioactive isotopes.

Einstein's mass-energy relation.
 Energy from fission and from fusion.

Explanation of isotopes.

Changes of mass number, A, and atomic number, Z, caused by radioactive decay. Details of radioactive series are not required.

Simple problems on half-life are included but questions on the decay law $N = N_0 e^{\lambda t}$ will not be set.

The use of accelerating machines and neutrons should be mentioned but details of methods are not required.

One biological and one industrial use.

The idea of change of mass excess resulting in release of energy. Further details, including chain reactions, etc., are not required.

THE PRACTICAL EXAMINATION. The examiners will not be strictly bound by the syllabus in setting experiments; where necessary, candidates will be told exactly what to do, only knowledge of theory within the syllabus being demanded.

PHYSICS

In addition to points that may be specified in the question paper, the examiners will look for competence in the following respects: correct reading of scales, including estimation of fractions of a graduation in both linear and angular measure; recognition of circumstances where a very approximate determination of some quantity is adequate for the purposes of the experiment and the seeking of further accuracy would be a waste of time; appreciation of the possible value of a quick rough preliminary survey of the experiment to locate the most fruitful range for more detailed and careful measurements: the recording of check and repeat readings when made and the listing of any other precautions taken, showing an understanding of their importance.

Examiners will not expect candidates to calculate errors by statistical methods, but will expect them to show a common-sense appreciation of orders of accuracy, e.g. by refraining from expressing their readings and results to more figures than can be significant. Candidates will be expected to record their data clearly, in tabular form where appropriate, and may be asked to display their measurements in the form of a graph which provides a clear and suitable record of these and from which information can readily be extracted.

Questions requiring the use of a beam balance will not be set.

The rubric of the Practical Examination papers is as follows:

'Answer Question 1 and one other question.

Candidates will not be allowed to use the apparatus or write for the first fifteen minutes.

Squared paper and mathematical tables, including reciprocals, are provided.

Write on one side of the paper only.

G.C.E. (ADVANCED)

Candidates are expected to record on their script all their observations as soon as these observations are made, and to plan the presentation of the records so that it is not necessary to make a fair copy of them. The working of the answers is to be handed in.

Details on the question paper should not be repeated in the answer, nor is the theory of the experiment required unless specifically asked for. Candidates should, however, record any special precautions they have taken and any particular features of their method of going about the experiment.

Marks are given mainly for a clear record of the observations actually made, for their suitability and accuracy, and for the use made of them.'

Particular attention is directed to the fifth paragraph of the rubric.

PHYSICS (ADVANCED LEVEL) REGULATIONS FOR THE EXAMINATION OF INDIVIDUAL PROJECTS

The scheme is available for school candidates in the U.K. who are taking Physics at Advanced Level. All candidates must still take the normal Practical Physics examination.

It is recognised that only a minority of schools may wish, or be able, to take advantage of the scheme. It is intended that candidates should take part in the scheme on a voluntary basis, with the agreement of the school staff, and that they should be free to suggest projects in accordance with their own particular interests in Physics, and with the facilities available.

Each school which intends to enter candidates for a project must send to the Syndicate for approval, on forms which will be provided on request, as precise a statement as possible of what each candidate proposes to do; broad titles conveying only a vague idea of what is intended should be avoided. The forms should be returned to the Syndicate by 30 March in the year preceding that in which the candidates will sit the Advanced Level examination. Formal entry must also be made on the printed entry form.

It is expected that work on any project submitted for assessment will extend over about three or four terms. It is also recommended that preceding work on individual projects, the candidates will preferably have taken part in a straight forward group investigation in order to gain practice in the planning and writing up of a project.

Wherever possible, candidates should work individually on their projects, but if circumstances make it necessary for pairs of candidates to share apparatus and do some of their experimental work together, separate accounts of the work done must be prepared independently by each candidate, and should include a statement of their individual contributions.

The school will be required to send to the Syndicate or to the examiner, as instructed, the candidates' individual accounts of their work, by 30 March in the year of the examination. For easy reference candidates must include a table of contents, and the pages must be numbered. Candidates should write on one side of the paper only, leaving a margin on each page. Each account should contain a bibliography and appropriate acknowledgments of all external help.